


# CHISELS

# POINTS




**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**

Points & chisels

Grey

**SDS MAX**



Ref. PR



Ref. PRR



Ref. PRH

**POINT**

	LENGTH mm	€
P01280	280	17,36
P01400	400	15,82
P01600	600	25,80

**POINT (low vibration)**

	LENGTH mm	€
PR01400	400	30,34
PRR1400	400	28,47

**POINT PRH (low vibration)**

	LENGTH mm	€
PRH1400	400	33,21



**CHISEL**

	WIDTH mm	LENGTH mm	€
C01280	25	280	17,31
C01400	25	400	15,74
C01600	25	600	25,73

**CHISEL (low vibration)**

	WIDTH mm	LENGTH mm	€
CR01400	25	400	28,25

**CHISEL (low vibration)**

	WIDTH mm	LENGTH mm	€
CH01400	25	400	33,21



**CHASING GOUGE**

	WIDTH mm	LENGTH mm	€
R0126	25	300	41,70

**CHASING GOUGE FOR BRICKS**

	WIDTH mm	LENGTH mm	€
RL0132	32	300	50,72

**CHASING GOUGE WITH GLIDES**

	WIDTH mm	LENGTH mm	€
RA0135	35	380	120,50



**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
C0150	50	400	30,47
C0175	75	300	40,02
C01115	115	350	79,41

**TILE CHISEL**


	WIDTH mm	LENGTH mm	€
CZ0150	50	300	48,17

**BRICK RAKING CHISEL**

	WIDTH mm	LENGTH mm	€
CM0110	8	300	57,23

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**

**SDS MAX**



**BUSH HAMMER**

	WIDTH mm	LENGTH mm	€
BU45	45	250	175,64

**CARBIDE BUSH HAMMER**

	WIDTH mm	LENGTH mm	€
BU45MD	45	250	557,06

**MORTAR CHISEL**

	WIDTH mm	LENGTH mm	€
CD0132	32	300	74,35



**STICKING PICKET TOOL**

	Ø mm	LENGTH mm	€
PI3/4X250	19,05	250	106,46

**STICKING PICKET TOOL**

	Ø mm	LENGTH mm	€
PI5/8X250	15,88	250	102,50

**TCT MORTAR CHISEL**


	WIDTH mm	LENGTH mm	€
CMD0132	38	280	170,06



**SDS MAX**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

- ATLAS COPCO: PH55, PHE-5S, PH-5S.
- BOSCH: 11214EVS, 11216, 11223, 11227, 11230, 11231, 11235, 11309, 11311, 11312, 11313, 11316, 11245, GBH5, GBH5CE, H5/40DCE, GBH8DCE, GBH10/DC, GBH38, GS04, GSH10C, GSH11E.
- BLACK & DECKER: 5097, 5099.
- DEWALT: 541K, 545K.
- ELU: BH40/41EK, VH45/46EK, SH50EK.
- HILTI: TE54/52, TE-F52, 60, TE-F72, 92, TE-Y74, 75, TE76, TE-Y504, 05, TE-Y704, 705, TE42, TE55, TE60, TE72, TE74, TE75, TE92, TE504, TE704, TE104.
- HITACHI: DH40MA, DH40MB, H45MA, H60MA, H60MB.
- KANGO: 710MV, 760MV, 810MV, 850FV, 900HV, 1400MV.
- MAKITA: HR500C, HM1100C, HM1100S, HM1200C, HR4000C, HR5001C.
- METABO: 6045, Bh6045S.
- MILWAUKEE: 5308, 5313.
- RYOBI: ER382K, DE382NP.
- SPIT: 355, 385, 455.
- WACKER: EHB-7SM.
- SPARKY: BP400E.

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**
**SDS PLUS**

**POINT**

	LENGTH mm	€
P02250	250	11,86


**CHISEL**

	WIDTH mm	LENGTH mm	€
C02250	20	250	11,86


**CHISEL (low vibration)**

	WIDTH mm	LENGTH mm	€
CV02250	20	250	15,44


**CHASING GOUGE**


	WIDTH mm	LENGTH mm	€
R02250	22	250	24,72


**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA02250	40	250	20,43


**TILE CHISEL**

	WIDTH mm	LENGTH mm	€
CZ02250	40	250	33,71


**CHASING GOUGE WITH GLIDES**

	WIDTH mm	LENGTH mm	€
RA02250	22	250	60,33


**SDS PLUS**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

AEG:	APH14, PH210, PHE16, PHE19, PHE20, PHE24, PHE26.
BOSCH:	11207, 11210, 11211, 11212, 11213, 11215, 11221, 11222, 11224, 11228, 11236.
BLACK & DECKER:	5009, 5013, 5014, 5016, 5053, 5054, 5056, 5057.
DEWALT:	514K, 523K, 557K, 566K, 567K.
HILTI:	TE15C, TE24, TE25, TE104.
HITACHI:	DH22VB, DH22VD, VR16, BRT22.
KANGO:	200, 285, 327, 422, 426, 430D.
MAKITA:	HR160, HR1821, HR2000, HR2010, HR2400, HR2410, HR2420, HR2511.
METABO:	6010, 6018, 6020, 6024, 6026
MILWAUKEE:	5302, 5303, 5312, 5317, 5320, 5324, 5343, 5344, 5347, 5348, 5362, 5366, 5368, 5369.
RYOBI:	ER382K, DE382NP.
SPIT:	355, 385, 455.
WACKER:	ED160, ED211.
SPARKY:	BPR241E

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**

**BOSCH**



**POINT**

	WIDTH mm	€
P04300	300	41,86
P04400	400	31,64
P04600	600	70,46

**CHISEL**

	WIDTH mm	LENGTH mm	€
C04300	25	300	49,70
C04400	25	400	33,39
C04600	25	600	43,35



**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA04300	50	300	62,64
CA04450	50	450	64,86

**CHASING GOUGE**


	WIDTH mm	LENGTH mm	€
R04300	25	300	93,68



**BOSCH** 19

VALID FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

- BOSCH: 11302, 11305, 12312, USH10
- DEWALT: 5021K, DW558K.
- ELU: SH60K.
- HITACHI: H55SC.
- KANGO: 638S, 900B, 900KS, 900S, 900XS, 1400B.
- MAKITA: HM1200B, HM1211B
- MILWAUKEE: 5535
- SPIT: 400.

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**
**BOSCH Ø 16,5 mm**

**POINT**

	LENGTH mm	€
P05300	300	35,69
P05400	400	42,75
P05600	600	53,17

**CHISEL**

	WIDTH mm	LENGTH mm	€
C05300	25	300	35,69
C05400	25	400	50,28
C05600	25	600	53,82


**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA05300	50	300	44,21
CA05400	50	350	72,63
CA0575	75	300	50,33

**CHASING GOUGE**

	WIDTH mm	LENGTH mm	€
R05300	25	300	68,02

**BOSCH Ø 16,5 mm 19**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

AEG: PH26, PHD26, PH38, PHD38, PH240, PH240D, PH350, PH350D.

ATLAS COPCO: PH5H, PH11H, PB10H, PHE5H

BOSCH: 11202, 11203, 11204, 11205, 11206, 11207, 11209, 11212, 11214, 11219, 11220, 11232, 11233, 11244E, 11306, 11307, 11310, 1314, GBH7.45D, GBH7.75DE, UBH6.35, UBH6.35D, UBH10.5, H12.50, USH6.

BLACK & DECKER: 5041, 5042, 5043, 5044, 5045, 5059, 5093, 5095, 5096, 5098.

DEWALT: 530K, 531K, 532K, 533K, 551K.

ELU: SBH41K, BH41EK, BH46EK.

HITACHI: DH38YE, DH38YF, DH40FA, DH40FB, DH50SB, DS50SB, H45SB.

KANGO: 430S, 501S, 637S, 750S, 950KS, 950S, 950XS, 978S.

MAKITA: HM0810B, HR3520B, HR3520EB, HR3850B, HR3851, HR4040C, HR5000.

METABO: 11285, 11295, 11305, 11315, BHE6030S, RH66, RH99, RH99X, 1129, 1130, 6030, 6040, 6046.

MILWAUKEE: 5309, 5316, 5334, 5341, 5343, 5344, 5367, 5348, 5352, 5353.


PEUGEOT: PM26, PM38.

RYOBI: ED350K, ED382, ED382P, ER382.

WACKER: EBH7S.

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**

**KANGO Ø 19 mm**



**POINT**

	LENGTH mm	€
P06300	300	42,26
P06400	400	41,49
P06450	450	49,97
P06600	600	65,49

**CHISEL**

	WIDTH mm	LENGTH mm	€
C06300	25	300	39,46
C06400	25	400	24,61
C06450	25	450	26,68
C06600	25	600	58,45

**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA06300	50	300	83,84
CA06400	50	400	92,48
CA0675300	75	300	60,56
CA0675400	75	400	61,44
CA06120	110	480	134,72



**CHASING GOUGE**


	WIDTH mm	LENGTH mm	€
R06300	33	300	77,75

**KANGO Ø 19 mm**

VALID FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

- ATLAS COPCO: PB6C, PB10, PB10C, PB14C, PH11C.  
 HITACHI: DH50SA, DH50SA1, H55SA, H55SC.  
 KANGO: 900, 900X, 928, 950, 950K, 950X, 1400.

**BOSCH**



**POINT**

	LENGTH mm	€
P07400	400	49,64
P07450	450	75,02

**CHISEL**

	WIDTH mm	LENGTH mm	€
C07400	33	400	65,71
C07450	33	450	77,49

**WIDE CHISEL**


	WIDTH mm	LENGTH mm	€
CA07400	75	400	171,65
CA07125*	125	500	200,05

\* Till end of stock

**BOSCH**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

- ATLAS COPCO: PB32B.  
 BOSCH: 11304, 11308, 12308, 12314, HSH10, HSH27, HSH28, USH27, GSH27  
 BLACK & DECKER: 5027.  
 HITACHI: H65, H85, H90SB.  
 MAKITA: HM1303B, HM1500B, HM1800.  
 MILWAUKEE: 5338.

**POINTS AND CHISELS FOR ELECTROPNEUMATIC MACHINES**
**MAKITA Ø 13 mm**

**POINT**

	LENGTH mm	€
P10280	280	19,35
P10450	450	28,92

**CHISEL**

	WIDTH mm	LENGTH mm	€
C10280	22	280	36,03
C10450	22	450	45,98

**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA10280	50	280	91,19


**MAKITA Ø 13 mm 17**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

ATLAS COPCO: PH5F.

HITACHI: DH28Y, DH38YB, DH38YB1, DH42, H41, H45SA, PH40F, PHU45, PR25B, PR38E, VR38, VRY38YB.

MAKITA: 8035NB, HM0810, HM0810T, HM1200, HR3500, HR3510, HR3520, HR3850.

**MAKITA Ø 24 mm**

**POINT**

	LENGTH mm	€
P11410	410	56,51
P11550	550	101,78

**CHISEL**

	WIDTH mm	LENGTH mm	€
C11410	30	410	72,43

**WIDE CHISEL**

	WIDTH mm	LENGTH mm	€
CA1175	75	410	157,59
CA11125	125	500	221,61

**MAKITA Ø 24 mm 30**

SUITABLE FOR THE FOLLOWING TYPES OF IMPACT MACHINES AND REFERENCES

HITACHI: H65SA, PH65A, H65SB, TH65A, H65582

MAKITA: 8900N, 8900-S, HK1300, HM0810T, HM1300, HM1303, HM1400, HM1500, HM1304

BOSCH: GSH1630