THREAD CUTTING APPLICATIONS ACCORDING TO THE TYPE OF HOLE

	750 N/mm ²	1100 N/mm ²	1400 N/mm²	INOX	850 N/mm²			
HOLES TYPES			TOWNSHAMMAN AND AND AND AND AND AND AND AND AND A					
	Ref. MO	Ref. MOMD	Ref. MOC	Ref. MOX	Ref. MOT			
Short through hole	•	•	•	•	•			
Medium through hole	•		•	•	•			
Depth through hole	•		•	•	•			
Short blind hole	•	•	•	•	•			
Medium blind hole			•	•	•			
Depth blind hole								



THREAD CUTTING APPLICATIONS ACCORDING TO THE TYPE OF HOLE

750 N/mm²		850 N/mm ² 1400 N/mm ²		1000 N/mm²		INOX		Al		CAST IRON		750 N/mm²						
C	B FORM	15°	35°	B FORM TiN	35°	B FORM	TIAIN	B FORM	35° Plus	B FORM	35°	INTERRUPTED THREAD	2 FLUTES	C FORM	FORMING		B FORM	35°
MANUAL MA		The state of the s		TORON CONTROL OF THE PROPERTY		THIRTHING OWN OF HESE	THIMMING OF HISE	THUMMING (E-D)M8 6H HSSE	G.Ø.W8 6H HSSE	See the man of the second of t	assat the law de lecter.							
Ref. M1R M1D	Ref. M2R M2D	Ref. M3R M3D	Ref. M4R M4D	Ref. M2RT M2DT	Ref. M4RT M4DT	Ref. M2RC M2DC	Ref. M3RC M3DC	Ref. M2RP M2DP	Ref. M4RP M4DP	Ref. M2RX M2DX	Ref. M4RX M4DX	Ref. M5R M5D	Ref. M4R M4D	Ref. M1RFM M1DFM	Ref. M07R M07D	Ref.	Ref. M2C M2C-D	Ref. M4C M4C-D
				•		•						•				•	•	
•	•			•		•		•		•		•		•	•	•	•	
•				•		•		•		•		•		•			•	
•		•	•		•		•		•		•		•	•	•			•
•		•	•		•		•		•		•		•	•	•			•
			•		•		•		•		•		•					•