

CUTTING FLUIDS



BLUE-MASTER[®]
by celesa

CUTTING TECHNOLOGIES

THE REFERENCE IN ENGINEERING OF CUTTING FLUIDS

UNIVERSAL FLUID.
 FOR MACHINING ALL KIND OF MATERIALS
 EXTRA

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.

**GENERAL
 PURPOSE**



Ref. AC00250



Ref. AC00300AERO



Ref. AC00500



Ref. AC01000

		PACKAGING UNIT	EXTRA €
AC00250	0,250 l.	1 Bottle	20,59
AC00300AERO	0,300 l.	1 Aerosol	35,11
AC00500	0,500 l.	1 Bottle	35,75
AC01000	1,000 l.	1 Bottle	55,43
AC05000	5,000 l.	1 Can	216,51
AC10000	10,000 l.	1 Can	385,94
AC25000	25,000 l.	1 Can	800,62

CUT MAGIC EXTRA, is the perfect solution for the lubrication of machining processes in any material
 Its characteristics and properties are designed to allow the highest lifetime of the cutting tools



EXP-AC00250
 8 U. x 250ml.
164,72 €

200 x 180 x 240mm



Ref. AC05000

Ref. AC10000

EXP-AC00300AERO
 8 U.
280,92 €

200 x 205 x 300mm

EXTRA-THICK FLUID,
 SPECIALLY DESIGNED FOR STAINLESS STEEL, TITANIUM, DUPLEX, HARDENED STEEL OVER 44HRC AND HARDOX 450/600.

XTHICK

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.

		PACKAGING UNIT	XTHICK €
ACXT00250	0,250 l.	1 Bottle	23,62
ACXT00500	0,500 l.	1 Bottle	41,18
ACXT01000	1,000 l.	1 Bottle	71,50
ACXT05000	5,000 l.	1 Can	258,79



EXP-ACXT00250
 8 U. x 250ml.
188,97 €

200 x 180 x 240mm



Ref. ACXT00250



Ref. ACXT00500



Ref. ACXT01000



Ref. ACXT05000

* All the range of cutting fluids Cut Magic is bio-degradable, in compliance with the REACH REGULATION n° 1907/2006.

THE REFERENCE IN ENGINEERING OF CUTTING FLUIDS

EXCLUSIVE FOR ALUMINIUM, MAGNESIUM AND ITS CASTS
INSTANTANEOUS EVAPORATION WITHOUT LEAVING MARKS

ALUMINIUM

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.



Ref. ACAL00250

Ref. ACAL00500

Ref. ACAL01000



		PACKAGING UNIT	ALU €
ACAL00250	0,250 l.	1 Bottle	23,18
ACAL00500	0,500 l.	1 Bottle	40,34
ACAL01000	1,000 l.	1 Bottle	66,99

FOAMY UNIVERSAL CUTTING FLUID MAXIMUM ADHERENCE TO THE TOOL
FOR ALL KIND OF MATERIALS

EXTRA FOAMY

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.



Ref. ACF00400

		PACKAGING UNIT	FOAMY €
ACF00400	0,400 l.	1 Spray Can	53,45

WATER SOLUBLE MINERAL OIL FOR AN OPTIMUM COOLING
IN ANY TYPE OF MACHINING PROCESS

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.

When mixed with water, it forms a high stability emulsion and very good corrosion protection.
It is particularly resistant to microorganisms and provides long lifetime with very low maintenance

CONCENTRATION: Machining & Grinding process: 4-7%



		PACKAGING UNIT	AST5000 €
AST5000	5 l.	1 Can	105,44

* All the range of cutting fluids Cut Magic is bio-degradable, in compliance with the REACH REGULATION nº 1907/2006.

THE REFERENCE IN ENGINEERING OF CUTTING FLUIDS

PASTY, SUITABLE FOR ANY TOOL WITH MAXIMUM ADHERENCE OF MATERIALS

PASTY

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.



Ref. ACPU00250



Ref. ACPU00750

			PASTY
		PACKAGING UNIT	€
ACPU00250	0,250 l.	1 Can	28,92
ACPU00750	0,750 l.	1 Can	43,76

TAKE ADVANTAGE OF THE TWISTY BAR FOR SAWING PROCESS. IN ANY TYPE OF MATERIAL

TWISTY

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.



Ref. ACP500300


			TWISTY
		PACKAGING UNIT	€
ACPS00300	0,300 l.	1 Bar	45,06

SPECIALLY DESIGNED TO PROTECT THE EQUIPMENT FROM WELDING PROJECTIONS. SILICONE-FREE

EPW0400

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.




			SPATTER TOOL MAGIC
		PACKAGING UNIT	€
EPW0400	0,400 l.	1 Spray Can	29,99


Ref. EPW0400

DESIGNED TO PROTECT THE WORKPIECES FROM PROJECTIONS, SPITTINGS... SILICONE-FREE

PW0400

SAFETY DATA SHEET AVAILABLE COMPLIANT WITH REACH REGULATION.



			SPATTER MAGIC
		PACKAGING UNIT	€
PW0400	0,400 l.	1 Spray Can	16,22

Ref. PW0400